

COMPACT LINE

HYGIENE STATIONS



COMPACTLINE CATALOG

KUPAN



CompactLine > Introduction

The CompactLine offers sink units in various sizes. For instance, it is possible to choose a unit with a depth of 400 or 500 millimeters.

Sink units from the CompactLine can be ordered with or without tap hole and with a left-handed or right-handed door. It is also possible to choose for a door with a stainless steel waste flap.

In case of any questions or for personal advice, please don't hesitate to contact one of our product specialists.

Compact Line




SINK UNITS

199




Perspective



Front view

Side view



Top view

STANDARD SIZES

B	D	H0	D1	P
Total Width 600 mm	Total Depth 600 mm	Total Height 900 mm	Sink diameter 390 mm	Plinth Height 100 mm

MATERIAL SPECS


Plinth	:	13 mm Compact HPL
Boxes	:	8 mm Compact HPL
Backwall	:	2,5 mm Compact HPL
Side-Walls	:	13 mm Compact HPL
Door Handle	:	Stainless Steel
Fixators	:	Stainless Steel

OPTIONS

Total Depth	:	400 or 500 mm
Direction or Rotation:	:	Left or Right
Locks	:	Snapper
Sink	:	ø 300 mm
Tap	:	Yes or No
Other modifications on request		




Perspective



Front view

Side view



Top view

STANDARD SIZES

B	D	H0	D1	P
Total Width 600 mm	Total Depth 620 mm	Total Height 900 mm	Sink diameter 390 mm	Plinth Height 100 mm

MATERIAL SPECS

Plinth	:	13 mm Compact HPL
Boxes	:	8 mm Compact HPL
Backwall	:	2,5 mm Compact HPL
Side-Walls	:	13 mm Compact HPL
Door Handle	:	Stainless Steel
Fixators	:	Stainless Steel

OPTIONS

Total Depth	:	400 or 500 mm
Direction or Rotation:	:	Left or Right
Locks	:	Snapper
Sink	:	ø 300 mm
Tap	:	Yes or No
Other modifications on request		



Kupan BV
Dames Jolinkweg 46
P.O. Box 47
7050 AA Varsseveld Netherlands
T +31 (0)315 76 00 60
E info@kupan.com
I www.kupan.nl